

Partner spotlight: ESBE hydronic solutions

ESBE components have recently been added to Midsummer's product portfolio and are now fully integrated into our range of products.



Founded in Sweden in 1906, ESBE

engineers and manufactures hydronic solutions with a strict focus on safety, energy savings, and long-term reliability. We selected ESBE as a partner because they rigorously test all products in their own facilities in Reftele, Sweden, before market release.

Furthermore, their newly established UK subsidiary, led by Managing Director Darren Myers, provides installers with direct, local access to calculations, dimensioning, and technical support.

Technical focus: managing Kvs and differential pressure

For a heat pump to perform efficiently, it must run at higher flow rates and lower temperatures than traditional fossil fuel boilers. Achieving this design flow rate requires minimising resistance across the heating circuit. ESBE designs its valves with high Kvs values, meaning they offer low resistance. This allows the heat pump to circulate water with less effort, which lowers the delta T and improves overall system efficiency.

Additionally, modern heat pump installations experience high pressure. Standard spring-return diverters that use rubber balls can struggle under these conditions, often slamming shut, which causes noise and potential system damage. ESBE valves are built with high differential pressure (or "shut off pressure") ratings, ensuring they can handle higher pressures quietly and reliably without wearing out.

Key ESBE components for heat pump systems



VRG Rotary Valves & ARA Actuators

VRG valves are premium 3-way valves featuring a compression fitting, suitable for both mixing and diverting operations. They are designed to pair directly with the ARA 2-point actuators. They fit together without the need for complicated connections or linkages, ensuring quick installation and highly accurate flow regulation.

Superb regulation for best double mixing performance | Long lasting and high durability



MBA Motorised Ball Valves

These 2-way and 3-way valves feature a pre-mounted actuator connected by a metallic spigot for secure and rapid assembly. They provide airtight closing compliant with EN12266-1. Because of their high Kvs and high shut-off pressure, they are a highly durable alternative to standard diverters in high-flow systems.

Auxiliary switch included | Anti-condensation resistor to prevent condensation | Easy to install



VTN Anti-Freeze Valves

A maintenance-free mechanical safeguard for monobloc heat pumps. In the event of a power outage, the valve's thermostat detects if the media temperature drops below 3°C and automatically drains the system to prevent catastrophic freezing. It features an axial seal to prevent sticking, requires no electricity, and will automatically close itself once temperatures rise above 4°C without needing a manual reset.

Exact temperature regulation | Robust & maintenance free



VRI Insulation Shells

Designed specifically for the VRG valve series, these shells reduce valve heat loss by 65%, further optimising the efficiency of the heating circuit.

Insulation according to EnEV2009 | Tight seal | Avoid burning injuries from hot valves

How to specify ESBE products in Heatpunk

Integrating ESBE components into your system design is straightforward:

1. When building your heat pump system in Heatpunk you'll be able to select [Additional components](#) once you have selected a heat pump.
2. Select the specific ESBE valves, actuators, or insulation shells required for your system. Make sure you remove any other automatically selected components you no longer need.
3. Once selected, these components will be included in the full bill of materials (shown on the project overview page) and will be included within the kit costs in the Financial task.

You can view the full technical specifications for ESBE products at midsummerwholesale.co.uk/buy/esbe

Discover the ESBE story

<https://www.youtube.com/embed/GQONU0jw-fc>

Revision #14

Created 9 April 2026 13:38:46 by Matt Agnes

Updated 30 June 2026 15:53:35 by Matt Agnes